

In re Application of Milligan et al.  
Serial No. 10/607,812

**Listing of the Claims:**

1. (currently amended) In a computing environment, a method comprising:  
  
receiving a request for taxonomy-related information, the request including identification data and relationship data;  
  
extracting data from the request; and  
  
querying a database based on the data extracted from the request to obtain taxonomy-related information about at least one node, the taxonomy-related information having at least one identifier that corresponds to the identification data and having a relationship that corresponds to the relationship data.
2. (original) The method of claim 1 further comprising, returning the taxonomy-related information in response to the request.
3. (original) The method of claim 1 wherein the identification data comprises an identifier of a taxonomy and the relationship data indicates a root node relationship, and wherein returning the taxonomy-related information in response to the request comprises returning an identifier of at least one root node within the taxonomy.
4. (original) The method of claim 3 wherein returning the taxonomy-related information in response to the request comprises identifying the relationship along with each other node identifier that corresponds to the relationship data.

In re Application of Milligan et al.  
Serial No. 10/607,812

5. (original) The method of claim 1 wherein the identification data comprises an identifier of a taxonomy and a node identifier of a node within the taxonomy, and wherein returning the taxonomy-related information in response to the request comprises returning at least one other node identifier that corresponds to the relationship data.

6. (original) The method of claim 5 wherein the relationship data indicates a parent relationship.

7. (original) The method of claim 5 wherein the relationship data indicates a child relationship.

8. (original) The method of claim 5 wherein returning the taxonomy-related information in response to the request comprises returning an identifier of another taxonomy.

9. (currently amended) The method of claim 8 wherein returning the taxonomy-related information in response to the request further comprises returning at least one node identifier corresponding to at least one node in the ~~other~~ another taxonomy.

In re Application of Milligan et al.  
Serial No. 10/607,812

10. (original) The method of claim 8 wherein the relationship data indicates an equivalence relationship.

11. (original) The method of claim 1 wherein returning the taxonomy-related information in response to the request further comprises returning at least one attribute value that indicates whether a node corresponding to that attribute value comprises a classification node.

12. (original) The method of claim 1 wherein returning the taxonomy-related information in response to the request further comprises returning at least one text string.

13. (currently amended) The method of claim 1 wherein the request includes at least one other set of identification data and relationship data, and wherein the response returns data corresponding to the request in the order in which the identification data and relationship data was received such that the first set of identification data and relationship data corresponds to a first part of the response and the at least one other set of identification data and relationship data corresponds to a second part of the response.

14. (original) The method of claim 1 wherein the request comprises an XML message, and wherein returning the taxonomy-related information in

In re Application of Milligan et al.  
Serial No. 10/807,812

response to the request further comprises formatting the response as an XML message.

15. (original) The method of claim 1 wherein the taxonomy-related information corresponds to a taxonomy maintained at a UDDI server,

16. (currently amended) A computer-readable storage medium having computer-executable instructions ~~for performing~~ operable to execute the method of claim 1 in a computer system.

17. (currently amended) In a computing environment, a method comprising:

constructing a request for taxonomy data, the request including identification data from which a taxonomy may be identified and at least one relationship qualifier;

communicating the request to a server;

receiving a response from the server including identification information corresponding to the identification data and relationship information corresponding to the relationship qualifier; and

presenting information about the taxonomy, the information based on the identification information and based on the relationship information in the response.

In re Application of Milligan et al.  
Serial No. 10/607,812

18. (original) The method of claim 17 wherein the identification data comprises a unique identifier and the relationship qualifier indicates a root node relationship with the taxonomy, and wherein the response includes information about at least one root node in the taxonomy.

19. (currently amended) The method of claim 17 wherein the identification data further includes node identification data from which a node within the taxonomy ~~may be identified~~ is operable to be identified.

20. (original) The method of claim 19 wherein the relationship qualifier indicates a parent node of a node identified by the node identification data, and wherein the response includes information about the parent node.

21. (original) The method of claim 19 wherein the relationship qualifier indicates a child node of a node identified by the node identification data, and wherein the response includes information about at least one child node, if any exist.

22. (original) The method of claim 19 wherein the relationship qualifier indicates an equivalent node of a node identified by the node identification data.

In re Application of Milligan et al.  
Serial No. 10/607,812

23. (original) The method of claim 17 wherein receiving the response from the server further includes receiving an attribute value that indicates whether a node in the taxonomy is intended as a classification node.

24. (original) The method of claim 17 wherein receiving the response from the server further includes receiving at least one text string that corresponds to a node in the taxonomy.

25. (original) The method of claim 17 wherein constructing a request for taxonomy data comprises constructing an XML message.

26. (original) The method of claim 25 wherein communicating the request to a server comprises sending the XML message to a UDDI server.

27. (currently amended) A computer-readable storage medium having computer-executable instructions ~~for performing~~ operable to execute the method of claim 17 in a computer system.

28. (currently amended) In a computing environment, a system comprising:

a client, the client including an application program that presents taxonomy-related data; and

In re Application of Milligan et al.  
Serial No. 10/607,812

a server that maintains taxonomy data, the server coupled to receive taxonomy-related requests from the client seeking identification information and relationship information about nodes in a taxonomy, and in response to each request, to locate relationship information corresponding to a node in a specified taxonomy and to return a response to the client from which the client ~~may~~ is operable to present the taxonomy-related data.

29. (original) The system of claim 28 wherein the relationship information corresponding to the node in the specified taxonomy comprises a root qualifier.

30. (original) The system of claim 28 wherein the relationship information corresponding to the node in the specified taxonomy comprises a parent qualifier.

31. (original) The system of claim 28 wherein the relationship information corresponding to the node in the specified taxonomy comprises a child qualifier.

32. (original) The system of claim 28 further comprising a database in which the server maintains the taxonomy data.

33. (original) The system of claim 28 wherein the taxonomy-related requests from the client comprise XML messages.

In re Application of Milligan et al.  
Serial No. 10/607,812

34. (original) The system of claim 28 wherein the response to the client comprises an XML message.

35. (original) The system of claim 28 wherein the server comprises a UDDI server.

36. (original) The system of claim 28 wherein the client provides the request to the server by calling an application programming interface, the application programming interface formatting the request as a message for communicating with the server and returning the response to the client in response to the application programming interface call.

37-40. (canceled)

41. (currently amended) In a computing environment, a system comprising:

means for receiving a request that indicates identification data and relationship data corresponding to a taxonomy; and

means for querying a database based on the identification data and relationship data to obtain taxonomy-related information about at least one node in the taxonomy that corresponds to the identification data and relationship data.



In re Application of Milligan et al.  
Serial No. 10/607,812

42. (original) The system of claim 41 further comprising means for returning the taxonomy-related information in response to the request.

43. (original) The system of claim 41 wherein the means for querying the database comprises request handling means in a UDDI-server environment.